MONITORY Z SERII BUSINESS PRODUCTIVITY

PRO MP252

PRO MP252

Be Your Window To The World



Picture and logos

SELLING POINTS

- Większy ekran 24,5 cala – ciesz się większą przestrzenią roboczą nawet w ograniczonej przestrzeni.
- Optymalny rozmiar ekranu do biura i na biurko zapewnia komfortowe warunki pracy.
- Certyfikat TÜV potwierdza, że monitor dba o ochronę i zdrowie wzroku.
- Technologia MSI EyesErgo z technologią Anti-Flicker pomaga zapobiegać zmęczeniu i nadwyrężeniu oczu.
- Częstotliwość odświeżania 100 Hz zapewnia lepsze wrażenia podczas oglądania i obraz bez migotania.
- MSI Eye-Q Check umożliwia samodzielną kontrolę wzroku i przypomina o przerwie podczas długiego korzystania z monitora.
- Korzystaj z różnych urządzeń dzięki wielu wejściom, takim jak HDMI™ i DisplayPort.
- Zadbaj o porządek dzięki wygodnemu, zdejmowanemu systemowi zarządzania przewodami.
- Standardowy montaż VESA i gniazdo na akcesoria.
- Dwa wbudowane głośniki.



1. 1x AC-in
2. 1x DP (1.4a)
3. 1x HDMI™ (2.0b)
4. 1x Headphone-out
5. 1x Kensington Lock
6. 1x 5-way navigator

"2026-10-09 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

MONITORY Z SERII BUSINESS PRODUCTIVITY

PRO MP252

PRO MP252

SPECIFICATION

Model	SKU Number	9S6-3PC4CT-008
	Entity MKT Name	PRO MP252
	Part No	9S6-3PC4CT-008
	Color	ID1/Black-Black
	MKT Name	PRO MP252
	MKT Spec	PRO MP252
	Model	3PC4
Display	Screen Size	24.5" (62.2cm)
	Active Display Area (mm)	543.7(H)x302.6(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.2832(H)x0.2802(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	Adaptive-Sync
	Dynamic Refresh Rate Activated Range	48 ~ 100Hz
	SDR Brightness (nits)	300
	Contrast Ratio	1300:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	52.416~112.5 KHz(H) / 48~100 Hz(V)
	Refresh Rate	100HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	87.32%/79.16%
	NTSC (CIE1931 area percentage/overlap)	72.63%/70.44%
	sRGB (CIE1976 area percentage/overlap)	100.15%/97.18%
	sRGB (CIE1931 area percentage/overlap)	102.55%/96.03%
	Adobe RGB (CIE1976 area percentage/overlap)	85.82%/84.71%
	Adobe RGB (CIE1931 area percentage/overlap)	76%/74.31%
	DCI-P3 (CIE1976 area percentage/overlap)	79.76%/79.71%
	DCI-P3 (CIE1931 area percentage/overlap)	75.59%/75.58%
	Rec.709 (CIE1976 area percentage/overlap)	100.15%/97.18%
	Rec.709 (CIE1931 area percentage/overlap)	102.55%/96.03%
	Rec.2020 (CIE1976 area percentage/overlap)	58.12%/58.12%
	Rec.2020 (CIE1931 area percentage/overlap)	54.23%/54.23%
	Surface Treatment	Anti-Reflection
	Display Colors	1.07B
	Color bit	10 bits
I/O Ports	Headphone-out	1
	Lock type	Kensington Lock
	Speaker	2
	HDMI	1
	HDMI version	1.4b
	HDMI HDCP version	1.4
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	1.3
Warranty	Warranty	24M
Power	Power Type	Power Cable
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	TBD
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.2
	Energy Efficiency Rating	N/A
	Power Cord Type	C13

"2026-10-09 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

PRO MP252

PRO MP252

Accessories	DisplayPort Cable	1
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	VESA Screw	0
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	557.7 x 207.2 x 416.3
	Product Dimension without Stand (WxDxH) (mm)	557.7 x 48.1 x 322.9
	Stand Dimension (WxDxH) (mm)	227.8 x 207.2 x 146.28
	Weight (Net kg)	3.3
	Weight Without Stand (kg)	2.8
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	N/A
	Outer Carton Dimension (WxDxH) (cm)	N/A
	Weight (Gross kg)	4.9
Barcode Info	EAN	4711377156417
	UPC	824142343395
	UCC14	10824142343392
I/O Ports (Rear)	Lock type	Kensington Lock
Dimension&Weight	Inside Carton Dimension (WxDxH) (inch)	N/A
	Weight (Net kg)	TBD
	Weight (Gross kg)	TBD
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	TBD x TBD x TBD
	Product Dimension with Stand (WxDxH) (inch)	TBD x TBD x TBD
Weight	Weight Without Stand (kg)	TBD
	Weight (Net lbs)	TBD
	Weight (Gross lbs)	TBD
	Weight Without Stand (lbs)	TBD
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	N/A

“2026-10-09 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”