


OVERVIEW



|                                 |  |
|---------------------------------|--|
| 1. Power button                 | 5. Thunderbolt 4                             |
| 2. microSD card reader          | 6. Thunderbolt 4                             |
| 3. USB-A (USB 5Gbps), Always On | 7. Headphone / microphone combo jack (3.5mm) |
| 4. HDMI                         |  |

PERFORMANCE

Processor

Processor Family

Intel® H or U Series Core Ultra 5 / 7 Processor (Series 1)

Processor\*\*

| Processor Name    | Cores                                 | Threads | Base Frequency                                  | Max Frequency                                   | Cache | Processor Graphics   | NPU             |
|-------------------|---------------------------------------|---------|---|---|-------|----------------------|-----------------|
| Core Ultra 5 125H | 14 (4 P-core + 8 E-core + 2 LPE-core) | 18      | P-core 1.2GHz / E-core 700MHz / LPE-core 700MHz | P-core 4.5GHz / E-core 3.6GHz / LPE-core 2.5GHz | 18MB  | Intel® Arc™ Graphics | Intel® AI Boost |
| Core Ultra 5 125U | 12 (2 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 1.3GHz / E-core 800MHz / LPE-core 700MHz | P-core 4.3GHz / E-core 3.6GHz / LPE-core 2.1GHz | 12MB  | Intel® Graphics      | Intel® AI Boost |
| Core Ultra 7 155H | 16 (6 P-core + 8 E-core + 2 LPE-core) | 22      | P-core 1.4GHz / E-core 900MHz / LPE-core 700MHz | P-core 4.8GHz / E-core 3.8GHz / LPE-core 2.5GHz | 24MB  | Intel® Arc™ Graphics | Intel® AI Boost |
| Core Ultra 7 155U | 12 (2 P-core + 8 E-core + 2 LPE-core) | 14      | P-core 1.7GHz / E-core 1.2GHz / LPE-core 700MHz | P-core 4.8GHz / E-core 3.8GHz / LPE-core 2.1GHz | 12MB  | Intel® Graphics      | Intel® AI Boost |

AI (Artificial Intelligence)

AI PC Category

AI PC

NPU

Integrated Intel® AI Boost, up to 11 TOPS

Operating System

Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

Graphics

Graphics\*\*

| Graphics             | Type       | Memory | TGP           | Key Features  |
|----------------------|------------|--------|---------------|---------------|
| Intel® Arc™ Graphics | Integrated | Shared | Share CPU TDP | DirectX® 12.2 |
| Intel® Graphics      | Integrated | Shared | Share CPU TDP | DirectX® 12.1 |

Monitor Support

Monitor Support

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and Thunderbolt™)

- HDMI® supports up to 4K@60Hz
- Thunderbolt™ supports up to 8K@60Hz

Chipset

Chipset

Intel® SoC (System on Chip) platform

Memory

Max Memory

- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

Memory Slots

Memory soldered to systemboard, no slots, dual-channel

Memory Type

LPDDR5x-7467

Storage

Storage Support<sup>[1]</sup>

One drive, up to 1TB M.2 2242 SSD

Storage Slot

One M.2 2242 PCIe® 4.0 x4 slot

Storage Type

| Disk Type    | Interface                 | Offering    |
|--------------|---------------------------|-------------|
| M.2 2242 SSD | PCIe® NVMe®, PCIe® 4.0 x4 | 512GB / 1TB |

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

Removable Storage

Card Reader

microSD card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3306 codec

Speakers

Stereo speakers, 2W x2, optimized with Dolby Atmos®, Smart Amplifier (AMP)

Microphone

Dual-microphone array

Camera

FHD 1080p + IR, with privacy shutter, fixed focus

Sensor

Sensors

- Accelerometer (G) sensor
- Hall sensor

Battery

Battery<sup>[1]</sup>

Rechargeable Li-ion 71Wh battery, supports Rapid Charge Express (get 3 hours of runtime with a 15-minute charge)

Max Battery Life<sup>[2]</sup>

- WUXGA IPS models:  
MobileMark® 25@250nits: 14.5 hr  
Local video (1080p) playback@150nits: 25.5 hr
- WUXGA OLED models:  
MobileMark® 25@250nits: 12.5 hr  
Local video (1080p) playback@150nits: 22.5 hr
- 2.8K OLED models:  
MobileMark® 25@250nits: 11 hr  
Local video (1080p) playback@150nits: 19 hr

Notes:

[1] Rapid Charge Express is only effective in hibernates or fully shutting down the computer.

[2] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018, MobileMark® 25, MobileMark® 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter<sup>[1]</sup>

65W USB-C® (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

DESIGN

Display

Display<sup>\*\*[1]</sup>

| Size | Resolution              | Touch       | Type               | Brightness | Surface                  | Aspect Ratio | Contrast Ratio | Color Gamut | Refresh Rate | Viewing Angle (L/R/U/D) | Key Features  |
|------|-------------------------|-------------|--------------------|------------|--------------------------|--------------|----------------|-------------|--------------|-------------------------|---|
| 14"  | WUXGA (1920x1200)       | Multi-touch | IPS <sup>[2]</sup> | 300nits    | Glossy, anti-fingerprint | 16:10        | 1,500:1        | 45% NTSC    | 60Hz         | 89° / 89° / 89° / 89°   | Dolby Vision®, TÜV Low Blue Light (Software), Glass                             |
| 14"  | WUXGA (1920x1200)       | Multi-touch | OLED               | 400nits    | Glossy, anti-fingerprint | 16:10        | 100,000:1      | 100% DCI-P3 | 60Hz         | 85° / 85° / 85° / 85°   | Dolby Vision®, DisplayHDR™ True Black 500, TÜV Low Blue Light (Hardware), Glass |
| 14"  | 2.8K WQXGA+ (2880x1800) | Multi-touch | OLED               | 400nits    | Glossy, anti-fingerprint | 16:10        | 100,000:1      | 100% DCI-P3 | 120Hz (Max)  | 85° / 85° / 85° / 85°   | Dolby Vision®, DisplayHDR™ True Black 500, TÜV Low Blue Light (Hardware), Glass |

Touchscreen

OGM (One Glass Metal mesh) multi-touch, supports 10-point touch

Notes:

[1] 2.8K & WUXGA OLED panel's viewing angle over 85°

[2] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Multi-mode

Multi-mode

Laptop, tent, stand, and tablet modes supported by 360° hinge

Input Device

Pen<sup>\*\*</sup>

- Lenovo® Digital Pen with replaceable AAAA alkaline battery, 4096 levels of pressure sensitivity. For more information, please read [Lenovo® Digital Pen Overview](#)
- Lenovo® Digital Pen without replaceable AAAA alkaline battery, 4096 levels of pressure sensitivity. For more information, please read [Lenovo® Digital Pen Overview](#)
- No pen (purchase separately)

Keyboard

6-row, multimedia Fn keys, Copilot key

Keyboard Backlight

LED backlight

Touchpad

Buttonless glass-like Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

Mechanical

Dimensions (WxDxH)<sup>[1]</sup>

317.72 x 222.13 x 16.64 mm (12.51 x 8.75 x 0.66 inches)

Weight<sup>[2]</sup>

| Models                 | Weight                         |
|------------------------|--------------------------------|
| Models with IPS panel  | Starting at 1.61 kg (3.55 lbs) |
| Models with OLED panel | Starting at 1.49 kg (3.28 lbs) |

Case Color\*\*

- Storm grey
- Tidal teal

Surface Treatment

Aluminium stamping (anodized with sandblasting)

Case Material

Aluminium (top), aluminium (bottom)

Notes:

- [1] The system dimensions may vary depending on configurations.
- [2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

Ethernet

No onboard Ethernet

WLAN + Bluetooth<sup>[1]</sup>

Wi-Fi® 6E, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.3, M.2 card

WWAN

No support

Notes:

- [1] Wi-Fi® 6E full features might be limited by country-level restrictions. 6GHz Wi-Fi® 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi® 6E, and the regional regulatory certifications & spectrum allocation. Bluetooth® 5.3 operation requires Windows® 11. For more information please visit [General Bluetooth® Support Information on Microsoft®](#).

Ports<sup>[1]</sup>

Standard Ports

- 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On
- 2x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with USB PD 3.1 and DisplayPort™ 2.1
- 1x HDMI® 2.1, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)
- 1x microSD card reader

Notes:

- [1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

## Docking

### Docking

Various docking solutions are supported via Thunderbolt™.

For more compatible docking solutions, please visit [Docking for Yoga® 7 2-in-1 14IML9](#)

## SECURITY & PRIVACY

### Security

#### Security Chip

Firmware TPM 2.0 integrated in SoC

#### Fingerprint Reader

- Touch style fingerprint reader on palm rest
- No fingerprint reader

#### BIOS Security

- Administrator password
- Master hard disk password
- User hard disk password
- User password
- Self-healing BIOS
- More BIOS security features, please visit [BIOS Simulator<sup>\[1\]</sup>](#)

#### Other Security

- Camera privacy shutter
- IR camera for Windows® Hello (facial recognition)

---

Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

## SERVICE

### Warranty

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

## ACCESSORIES

### Bundled Accessories

#### Bundled Accessories\*\*\*<sup>[1]</sup>

- Lenovo® YOGA 14-inch Sleeve (luna grey)
- Yoga® Slim Mouse<sup>[2]</sup>
- Yoga® Slim Mouse without battery<sup>[3]</sup>
- None

---

Notes:

[1] For more compatible accessory solutions, please visit [Accessories for Yoga® 7 2-in-1 14IML9](#).

[2], [3] The mouse's name changed from the Lenovo® 600 Bluetooth® Silent Mouse to the Yoga® Slim Mouse.

## OPERATING REQUIREMENTS

### Operating Environment

#### Temperature<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

**Relative Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

**Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

**Notes:**

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

## CERTIFICATIONS

### Green Certifications<sup>[1]</sup>

**Green Certifications<sup>[2]</sup>**

- ENERGY STAR® 8.0
- EPEAT™ Gold Registered<sup>[3]</sup>
- ErP Lot 6/26
- RoHS compliant

**Notes:**

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <https://compliance.lenovo.com>.

[2] EPEAT™ registration and ENERGY STAR® certification are optional and only available on the models with preloaded OS. Please visit [epeat.net](https://epeat.net) and [energystar.gov](https://energystar.gov) for more information.

[3] EPEAT™ is registered where applicable, please visit [epeat.net](https://epeat.net) for registration status by country.

### Other Certifications

**Mil-Spec Test**

MIL-STD-810H military test passed (21 test items)

**Other Certifications**

- (Optional) Intel® Evo™ Platform
- Models with WUXGA IPS panel:  
TÜV Rheinland® Low Blue Light (Software Solution)
- Models with 2.8K or WUXGA OLED panel:  
TÜV Rheinland® Low Blue Light (Hardware Solution)

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with \*\*\* means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

