



Breeze through everyday tasks

Dell 22 Monitor

MODEL: SE2225HM

The world's # 1 monitor company*



Breeze through everyday tasks with this 21.5" monitor certified by TÜV Rheinland for 3-star eye comfort.

Enjoy extended viewing with enhanced eye comfort

Enjoy visual well-being with ComfortView Plus, engineered to minimize harmful blue light exposure without sacrificing color accuracy. Coupled with a 100Hz refresh rate, this monitor achieves TÜV Rheinland® 3-star eye comfort certification¹ – the latest industry standard for eye comfort to help reduce signs of eye fatigue.

Dependable from every angle

Contemporary design with thin bezels mean you see more with less distraction for better way to work or play.

Get superb clarity in FHD resolution with minimized reflections. This monitor offers a wide 178°/178° viewing angle and impressive 3000:1 contrast ratio, so you can view your work with consistent color and image quality.

Functional, space-saving design

Connect with ease with simple connectivity to most PCs, current or legacy, via HDMI or VGA. This monitor features a small footprint and built-in power supply unit to keep your space neat and organized. You can easily tilt the monitor to get just the right viewing angle or hook it up with a compatible VESA mount.



Improved visual comfort

Enjoy visual well-being with ComfortView Plus, engineered to minimize harmful blue light exposure without sacrificing color accuracy. Coupled with a 100Hz refresh rate, this monitor delivers a TÜV Rheinland 3-star¹ certified viewing experience.



Dependable from every angle

Get consistent views across a wide 178°/178° viewing angle. Experience deeper blacks, brighter whites and vivid color with 3000:1 contrast ratio..



Space-saving design

Keep your space neat with this small footprint monitor featuring a built-in power supply unit.



Easily connect

Simple connectivity to most PCs, current or legacy, via HDMI or VGA.

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

* Dell monitors are #1 Worldwide for 10 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024. From 2014 to 2024. CLM-005299

1 TÜV Rheinland certified - Low Blue Light Hardware Solution and Flicker Free (ID 0217010014).



Environmentally-forward thinking

Material innovation

Your monitor has been thoughtfully crafted with a selection of sustainable materials including 85% post-consumer recycled plastic and closed-loop ITE-derived plastic¹, and at least 20% recycled glass.² Using recycled materials helps conserve natural resources and contributes to a lower environmental footprint.

Low impact packaging

This monitor ships in a box made with 100% renewable content that is also recyclable.³

Energy conservation and environmental standards

This monitor is certified ENERGY STAR^{®4} meaning it meets high standards for energy efficiency.

¹ Based on internal analysis, January 2025. Percentage is based on plastic weight. Up to 35% post-consumer recycled plastic and up to 85% closed loop plastic.

² Applicable to all new monitors launching in CY 2024. Recycled glass is present in monitor panel. Based on internal analysis, January 2024.

³ Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, August 2023.

⁴ Based on internal analysis, June 2024.

Ports & Slots



- 1 HDMI
- 2 VGA
- 3 Power connector
- 4 Security lock slot¹

Cables included

- Power cable
- HDMI cable

¹ Based on Kensington Security Slot™

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell 22 Monitor - SE2225HM
DIAGONAL VIEWING SIZE	544.9 mm (21.5 in.)
PANEL TYPE	Vertical Alignment Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	1920 x 1080 up to 100Hz
VIEWING ANGLE	178° vertical 178° horizontal
PIXEL PITCH	0.2493 mm x 0.2410 mm
PIXEL PER INCH (PPI)	102
CONTRAST RATIO	3000:1 (typical)
ASPECT RATIO	16:9
BACKLIGHT TECHNOLOGY	LED Edgelight System
BRIGHTNESS	250 cd/m ² (typical)
RESPONSE TIME	• 5 milliseconds (gray to gray - fast mode) • 8 milliseconds (gray to gray - normal mode)
COLOR GAMUT	NTSC minimum 72% (CIE 1931)
COLOR DEPTH	16.7 Million colors
TÜV RHEINLAND EYE COMFORT	3-Stars
CONNECTIVITY	• 1 x HDMI (HDCP 1.4) (supports up to FHD 1920 x 1080 100Hz as per specified in HDMI 1.4) • 1 x VGA connector
ADJUSTABILITY	Tilt -5°/+21°
DISPLAY SCREEN COATING	Anti-glare with hard-coating 3H
DAISY CHAIN AVAILABILITY	Not Applicable
SOFTWARE COMPATIBILITY	Not Applicable
VOLTAGE REQUIRED	100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 1.0 A (maximum)
POWER CONSUMPTION	• 0.3 W (Off mode) ¹ • 0.3 W (Standby mode) ¹ • 11.7 W (On mode) ¹ • 20.7 W (Max) ² • 12.1 W (Pon) ³ • 37.76 kWh (TEC) ³
AUDIO OUTPUT	Not Applicable

FEATURE	TECHNICAL SPECIFICATION
HEIGHT WITH STAND	395.75mm (15.58 in.)
WIDTH WITH STAND	492.86 mm (19.40 in.)
DEPTH WITH STAND	211.80 (8.34 in.)
HEIGHT WITHOUT STAND	286.48 mm (11.28 in.)
WIDTH WITHOUT STAND	492.86 mm (19.40 in.)
DEPTH WITHOUT STAND	44.90 mm (1.77 in.)
WEIGHT (WITH PACKAGING)	4.38 kg (9.66 lb)
WEIGHT (PANEL ONLY - FOR VESA MOUNT)	2.23 kg (4.92 lb)
WEIGHT WITH STAND ASSEMBLY AND CABLES	2.96 kg (6.53 lb)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)
SECURITY	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	<ul style="list-style-type: none"> ENERGY STAR 8.0 RoHS Compliant Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Dell and the Environment TÜV Rheinland Eye Comfort 3-Stars BFR/PVC reduce monitor. (The circuit boards are made from BFR/PVC-free laminates.) Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.
TEMPERATURE RANGE	<ul style="list-style-type: none"> Operating: 0°C to 40°C (32°F to 104°F) Non-operating: -20°C to 60°C (-4°F to 140°F)
HUMIDITY RANGE	<ul style="list-style-type: none"> Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing)
ALTITUDE	<ul style="list-style-type: none"> Operating: 5,000 m (16,400 ft) maximum Non-operating: 12,192 m (40,000 ft) maximum
WHAT'S INCLUDED	<ul style="list-style-type: none"> Monitor with stand Power cable 1 x HDMI cable - 1.8 m QR card Safety Information
STANDARD SERVICE PLAN	<ul style="list-style-type: none"> (US/Canada) 1-year Advanced Exchange Service¹ (WW) 3-year Advanced Exchange Service¹

¹ Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.