

HUMAN INTELLIGENCE



IFA BERLIN
2024

**Product
Specifications**

next@*acer*


CONTENTS

Acer

<i>Swift</i> 14 AI (Intel)	03
<i>Swift</i> 16 AI (Intel)	04
<i>Swift</i> 14 AI (AMD)	05
<i>Swift Go</i> 14 AI (Qualcomm)	06
<i>TravelMate P6</i> 14 AI	07
<i>Iconia</i> X12	08
<i>Acer</i> CS322QK	09
<i>Acer</i> Vero PD2528ic	10
<i>Acer</i> Vero PD2328	11

Gaming

NITRO V 14	12
NITRO V 16	13
NITRO BLAZE 7	14
NITRO GS272U M	15
NITRO XV270U F5	16
NITRO XV270 F5	17
NITRO XV240 F6	18
PREDATOR ORION 7000	19
PREDATOR XB273K V5	20
PREDATOR XB273U F5	21



Swift 14 AI (Intel)



Model	SF14-51 / SF14-51T
Operating System	Windows 11
Screen	14" 2880 x 1800 OLED display 14" 1920 x 1200 OLED display 14" 1920 x 1200 IPS touch display
Processors	Up to Intel® Core™ Ultra 7 processor 258V
Memory	Up to 32 GB LPDDR5X memory
Graphics	Intel® Arc™ graphics
Storage	Up to 1 TB PCIe Gen 4 SSD
Dimensions (mm & inch)	312.4 (W) x 221.2 (D) x 9.7-15.9 (H) mm 12.3 (W) x 8.71 (D) x 0.38-0.63 (H) inches
Weight	1.26 kg / 2.78 lbs
Battery Life	<ul style="list-style-type: none">• Up to 29 hours video playback• Up to 23 hours web browsing• Up to 21 hours MobileMark 25
AC adapter wattage	65W
Touchpad info	Corning® Gorilla® Glass touchpad with Activity Indicator
Wireless	Wi-Fi 7
Features	<ul style="list-style-type: none">• Copilot + PC experience• AcerSense™• Acer Assist™• Acer VisionArt™• Acer LiveArt™ 2.0• Acer PurifiedVoice™ 2.0• Acer PurifiedView™ 2.0• Acer User Sensing™ 2.0
Camera	1440p QHD IR HDR camera
Security	<ul style="list-style-type: none">• Secured-core PC• Microsoft Pluton• Privacy Shutter• Windows Hello facial recognition• Windows Hello fingerprint reader
Eco-friendly design	<ul style="list-style-type: none">• Epeat Gold registered• PCR material used



1. Copilot+ PC experiences are coming. Requires free updates available starting later this year. Timing varies by device and region. See aka.ms/copilotpluspcs

2. Specifications may vary depending on model and/or region. All models subject to availability.

3. Battery life of Swift 14 AI (SF14-51) with touch panel and 65Wh battery was measured under specific test settings pursuant to MobileMark 25, web-browsing and video playback scenarios. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display, resolution, etc.

4. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

5. The dimension measurement range is taken when the device is closed, starting from the tapered edge at the front to the hinge along the back.

Swift 16 AI (Intel)



Model	SF16-51 / SF16-51T
Operating System	Windows 11
Screen	16" 2880 x 1800 OLED display 16" 2880 x 1800 IPS touch display
Processors	Up to Intel® Core™ Ultra 9 processor 288V
Memory	Up to 32 GB LPDDR5X memory
Graphics	Intel® Arc™ graphics
Storage	Up to 2 TB PCIe Gen 4 SSD
Dimensions (mm & inch)	356 (W) x 249.42 (D) x 9.9-15.9 (H) mm 14 (W) x 9.82 (D) x 0.39-0.63 (H) inches
Weight	1.5kg / 3.3 lbs
AC adapter wattage	65W
Touchpad info	Corning® Gorilla® Glass touchpad with Activity Indicator
Wireless	Wi-Fi 7
Features	<ul style="list-style-type: none">• Copilot + PC experience• AcerSense™• Acer Assist™• Acer VisionArt™• Acer LiveArt™ 2.0• Acer PurifiedVoice™ 2.0• Acer PurifiedView™ 2.0• Acer User Sensing™ 2.0
Camera	1440p QHD IR HDR camera
Security	<ul style="list-style-type: none">• Secured-core PC• Microsoft Pluton• Privacy Shutter• Windows Hello facial recognition• Windows Hello fingerprint reader
Eco-friendly design	<ul style="list-style-type: none">• Epeat Gold registered• PCR material used



1. Copilot+ PC experiences are coming. Requires free updates available starting later this year. Timing varies by device and region. See aka.ms/copilotpluspcs.
2. Specifications may vary depending on model and/or region. All models subject to availability.
3. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
4. The dimension measurement range is taken when the device is closed, starting from the tapered edge at the front to the hinge along the back.

Swift 14 AI (AMD)



Model	SF14-61 / SF14-61T
Operating System	Windows 11
Screen	14" 2880 x 1800 OLED display 14" 2880 x 1800 IPS display 14" 1920 x 1200 IPS touch display
Processors	AMD Ryzen™ AI 9 365 Processor
Memory	Up to 32 GB LPDDR5X memory
Graphics	AMD Radeon™ 880M graphics
Storage	Up to 2 TB PCIe Gen 4 SSD
Dimensions (mm & inch)	312.9 (W) x 222.1 (D) x 10-17.9 (H) mm 12.3 (W) x 8.7 (D) x 0.4-0.7 (H) inches
Weight	1.32 kg / 2.91 lbs
Battery Life	<ul style="list-style-type: none">• Up to 27 hours video playback• Up to 19 hours web browsing• Up to 17 hours MobileMark 25
AC adapter wattage	100W
Touchpad info	Corning® Gorilla® Glass touchpad with Activity Indicator
Wireless	Wi-Fi 7
Features	<ul style="list-style-type: none">• Copilot + PC experience• AcerSense™• Acer LiveArt™• Acer PurifiedVoice™ 2.0• Acer User Sensing™ 2.0
Camera	1440p QHD IR HDR camera
Security	<ul style="list-style-type: none">• Secured-core PC• Microsoft Pluton• Privacy Shutter• Windows Hello facial recognition• Windows Hello fingerprint reader
Eco-friendly design	<ul style="list-style-type: none">• Epeat Gold registered• PCR material used



1. Copilot+ PC experiences are coming. Requires free updates available starting later this year. Timing varies by device and region. See aka.ms/copilotpluspcs.
2. Specifications may vary depending on model and/or region. All models subject to availability.
3. Battery life of Swift 14 AI (SF14-61T) with touch panel and 75Wh battery was measured under specific test settings pursuant to web-browsing and video playback scenarios. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display, resolution, etc.
4. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
5. The dimension measurement range is taken when the device is closed, starting from the tapered edge at the front to the hinge along the back.

Swift Go 14 AI (Qualcomm)



Model	SFG14-01
Operating System	Windows 11
Screen	14.5" 2560 x 1600 IPS display 14.5" 1920 x 1200 IPS display
Processors	Qualcomm® Snapdragon® X Plus X1P-42-100 processor
Memory	Up to 32 GB LPDDR5X memory
Graphics	Qualcomm® Snapdragon® X Plus Oryon™ processor
Storage	Up to 1 TB PCIe Gen 4 SSD
Dimensions (mm & inch)	322.6 (W) x 225.9 (D) x 10-17.9 (H) mm 12.7 (W) x 8.9 (D) x 0.4-0.7(H) inches
Weight	1.34 kg / 2.95 lbs
Battery Life	Up to 28 hours video playback Up to 20 hours web browsing
AC adapter wattage	65W
Touchpad info	Corning® Gorilla® Glass touchpad with Activity Indicator
Wireless	Wi-Fi 7
Features	<ul style="list-style-type: none">• Copilot+ PC experience• AcerSense™• Acer PurifiedVoice™ 2.0• Acer PurifiedView™ 2.0• Acer User Sensing™
Camera	1440p QHD IR camera
Security	<ul style="list-style-type: none">• Secured-core PC• Microsoft Pluton• Privacy Shutter• Windows Hello facial recognition• Windows Hello fingerprint reader
Eco-friendly design	<ul style="list-style-type: none">• Epeat Gold registered• PCR material used



1. Specifications may vary depending on model and/or region. All models subject to availability.
2. Battery life of Swift Go 14 AI (SFG14-01) with 75Wh battery was measured under specific test settings pursuant to web-browsing and video playback scenarios. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display, resolution, etc.
3. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
4. The dimension measurement range is taken when the device is closed, starting from the tapered edge at the front to the hinge along the back.

TravelMate P6 14 AI



Model	TMP614-54 / TMP614-54T / TMP614-54-TCO / TMP614-54T-TCO	
Operating System	Windows 11 Pro	
Screen	14" 2880 x 1800 IPS non-touch display 14" 1920 x 1200 IPS touch/non-touch display	
Processors	Up to Intel® Core™ Ultra 7 processor 268V	
Memory	Up to 32 GB LPDDR5X memory	
Graphics	Intel® Arc™ graphics	
Storage	Up to 1 TB PCIe Gen 4 SSD	
Fan	Acer Dust Defender	
Dimensions (mm & inch)	313.7 (W) x 229.3 (D) x 15.90/16.65 (H) mm 12.35 (W) x 9.03 (D) x 0.63/0.66 (H) inches	
Weight	< 999 gram ¹ with Carbon Fiber Chassis design ¹	
Battery Life	Up to 14 hours, based on MobileMark 25	
AC adapter wattage	65W (100W is optional)	
Touchpad info	Corning® Gorilla® Glass touchpad with Activity Indicator	
Wireless	Wi-Fi 7 / BT 5.4	
Features	<ul style="list-style-type: none">• Copilot + PC experience• TravelMateSense• Acer Assist™• Acer VisionArt™	<ul style="list-style-type: none">• Acer LiveArt™ 2.0• Acer PurifiedVoice™ 2.0• Acer PurifiedView™ 2.0• Acer User Sensing™
Camera	1440p QHD IR HDR camera	
Security	<ul style="list-style-type: none">• Secured-core PC• Microsoft Pluton• Privacy Shutter	<ul style="list-style-type: none">• Windows Hello facial recognition• Windows Hello fingerprint reader
Eco-friendly design	<ul style="list-style-type: none">• EPEAT registered• TCO certified• PCR material used	

1. Copilot+ PC experiences are coming. Requires free updates available starting later this year. Timing varies by device and region. See aka.ms/copilotpluspc
2. Specifications may vary depending on model and/or region. All models subject to availability.
3. Battery life is based on MobileMark® 2025 test results. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display, resolution, etc.
4. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
5. The measurement range is taken when the device is closed, starting from the tapered edge at the front to the hinge along the back.

Iconia X12

acer



Model	X12-11
Operating System	Android 14
Screen	12.6" 2.5K 2560x1600 AMOLED display
Processors	MediaTek Helio G99 Octa-Core processor
Memory	8GB LPDDR4X
Graphics	Integrated
Storage	<ul style="list-style-type: none">• 128GB/256GB UFS• microSD™ capacity: support up to 1TB
Dimensions	283.2 x 186.6 x 6.7 mm
Weight	600g
Battery Capacity	10,000 mAh
Wireless	<ul style="list-style-type: none">• Dual-band Wi-Fi 5• GPS• Bluetooth 5.2
Speaker	Quad stereo speakers
Camera	<ul style="list-style-type: none">• 13MP auto focus rear camera• 8MP front camera
Color	Olivine black
Optional Accessories	<ul style="list-style-type: none">• Stylus pen• portfolio case• Bluetooth keyboard

Acer CS322QK

acer



Panel

System

Model	CS322QK
Display Size	31.5"
Panel type	IPS
Curvature	N/A
Max. Resolution and Refresh Rate	HDMI:3840x2160@60Hz Type-C:3840x2160@60Hz
Glare	No
Response Time	14ms (GTG)
Tear Technology	N/A
Contrast Ratio	1000:1 (Native)
Brightness (cd/m2)	350 nits
Viewing Angle	178°(H),178°(V)
Color Gamut	DCI-P3 98%
Color	1.07B
Bits	8Bit+FRC (10Bit with dithering)
Input Signal	2HDMI(2.0)+1Type-C(90W)+RJ45+SPK+USB 2.0 (2down)
VESA Wall Mounting	100x100 mm
Speaker	3Wx2
Power Supply	Internal (C13/C14)
Tilt / Height Adjustment / Swivel / Pivot	-5° to 35° / 150mm / ±178° / NA

Acer Vero PD2 Series



Model	PD2528ic
Resolution	Native 1080p (1,920 x 1,080) Maximum Supported WUXGA (1,920 x 1,200)
Light Source	LED
Brightness	3200 ANSI lumens
Aspect Ratio	16:9(Native), 4:3(Support)
Contrast Ratio	50,000:1
Throw Ratio	1.49~1.64 (61"@2m)
Projection Lens	<ul style="list-style-type: none">• F = 2.56 ~ 2.68• f = 22 mm ~ 24.1 mm• Manual Zoom and Manual Focus
Keystone Correction	+/-40° (Vertical, Manual & Auto)
Lamp Life	<ul style="list-style-type: none">• 20,000 Hours (Standard)• 30,000 Hours (ECO)
Noise Level	29 dBA (ECO)
Audio	10Wx1
Input Interface	HDMI1.4a (HDCP 1.4) x 2
Output Interface	<ul style="list-style-type: none">• PC Audio (Stereo mini jack) x 1• DC Out (5V/1.5A, USB Type A) x 1
Control	RS232 (D-sub) x 1
Dimensions (mm & inch)	299.4 x 223.8 x 107.5 mm (w/ feet) (11.8" x 8.8" x 4.2")
Weight	2.6 Kg (5.73 lbs)

Acer Vero PD2 Series



Model	PD2328
Resolution	Native WXGA (1,280 x 800) Maximum Supported WUXGA (1,920 x 1,200)
Light Source	LED
Brightness	3700 ANSI lumens
Aspect Ratio	16:10(Native), 4:3/16:9(Support)
Contrast Ratio	50,000:1
Throw Ratio	1.55~1.70 (60"@2m)
Projection Lens	<ul style="list-style-type: none">• F = 2.4 ~ 2.5• f = 22 mm ~ 24.1 mm• Manual Zoom and Manual Focus
Keystone Correction	+/-40° (Vertical, Manual & Auto)
Lamp Life	<ul style="list-style-type: none">• 20,000 Hours (Standard)• 30,000 Hours (ECO)
Noise Level	29 dBA (ECO)
Audio	10Wx1
Input Interface	<ul style="list-style-type: none">• Analog RGB/Component Video (D-sub) x 1• HDMI1.4a (HDCP 1.4) x 2• Composite Video (RCA) x 1• PC Audio (3.5mm mini jack) x 1
Output Interface	<ul style="list-style-type: none">• Analog RGB (D-sub) x 1• PC Audio (3.5mm mini jack) x 1• DC Out (5V/1.5A, USB Type A) x 1
Control	RS232 (D-sub) x 1
Dimensions (mm & inch)	299.4 x 223.8 x 107.5 mm (w/ feet) (11.8" x 8.8" x 4.2")
Weight	2.6 Kg (5.73 lbs)

NITRO V 14

acer



AMD
RYZEN AI

Model	ANV14-61
Operating System	Windows 11 Home
Screen	14.5" 16:10 IPS display, WQXGA 2560 x 1600
Processors	Up to AMD Ryzen™ 7 8845HS
Memory	Dual-channel DDR5 SDRAM support • Up to 32 GB of DDR5 system memory • Up to 5600 MT/s memory frequency
Graphics	Up to NVIDIA® GeForce RTX™ 4050 Laptop GPU powers advanced AI with 194 AI TOPs
Storage	512 GB / 1 TB / 2 TB, PCIe Gen4, 16 Gb/s, NVMe
Camera (webcam)	HD 1280 x 720
Dimensions	328.79 x 234.5 x 21.36-22.51mm
Weight	1.7 kg
Battery Life	57 Whr
AC adapter wattage	135W
Touchpad info	N/A
Wireless	Wi-Fi 6E
Audio	DTS® X:Ultra
Features	• Acer PurifiedVoice™ 2.0 • Acer PurifiedView™ • Copilot • NITROSense

Specifications may vary depending on model and/or region. All models subject to availability.

NITRO V 16

acer



Model	ANV16-71
Operating System	Windows 11 Home
Screen	16.0" 16:10 IPS display, WQXGA 2560 x 1600
Processors	Up to Intel® Core™ i7-14650HX
Memory	Dual-channel DDR5 SDRAM support <ul style="list-style-type: none">• Up to 32 GB of DDR5 system memory• Up to 5600 MT/s memory frequency
Graphics	Up to NVIDIA® GeForce RTX™ 4060 Laptop GPU powers advanced AI with 233 AI TOPs
Storage	<ul style="list-style-type: none">• 512 GB / 1 TB, PCIe Gen4, 16 Gb/s, NVMe• 1 TB / 2 TB, NVMe, RAID 0 SSD
Camera (webcam)	HD 1280 x 720
Dimensions	361.24 x 278.4 x 24.74/25.46 mm
Weight	2.5 kg
Battery Life	57 Whr
AC adapter wattage	135W
Touchpad info	N/A
Wireless	Wi-Fi 6 AX201
Audio	DTS® X:Ultra
Features	<ul style="list-style-type: none">• Acer PurifiedVoice™ 2.0• Acer PurifiedView™• Copilot• NITROSense



Specifications may vary depending on model and/or region. All models subject to availability.

NITRO BLAZE 7

acer



AMD
RYZEN AI

Model	GN771
Operating System	Windows 11 Home
Processor AI TOPS	AMD Ryzen™ 7 8840HS processor with up to 38 TOPs
Graphic Card	AMD Radeon™ 780M
TDP (Total Design Power)	10W-30W
Display	<ul style="list-style-type: none">• 7" 1920 x 1080 Full HD touch panel with 144Hz & 500nits• AMD FreeSync™ Premium
Memory	16GB LPDDR5 x 7500MT/s (onboard)
Storage	up to 2TB M.2 2280 NVMe PCIe Gen 4 SSD
I/O Ports	<ul style="list-style-type: none">• 2 x Type-C 40Gbps• Micro SD Card (SD4.0)
Battery	50.04Wh Li-Polymer
Xbox Game Pass	PC Game Pass [3-month free]
Apps	Acer Game Space

Specifications may vary depending on model and/or region. All models subject to availability.

NITRO GS272U M



SMART
💬 🎮

Panel

System

Model	GS272U M
Display Size	27"
Panel type	IPS
Curvature	N/A

acer

Max. Resolution and Refresh Rate	<ul style="list-style-type: none">• HDMI:2560x1440@144Hz• DP:2560x1440@180Hz• Type-C:2560x1440@180Hz
----------------------------------	--

Glare	No
Response Time	5ms (GTG)
Tear Technology	N/A
Contrast Ratio	1000:1 (Native)
Brightness	250nits
Viewing Angle	178° (H), 178° (V)
Color gamut	DCI-P3 95%
Color	16.7M
Bits	8Bit

Input Signal	1HDMI(2.0)+1DP(1.2)+1Type-C (90W)
VESA Wall Mounting	100x100 mm
Speaker	3Wx2
Power Supply	Internal (C13/C14)
Tilt / Height Adjustment / Swivel / Pivot	-5°~25° / 150mm / ±20° / ±90°

NITRO XV270U F5

acer



Panel

System

Model	XV270U F5
Display Size	27"
Panel type	IPS
Curvature	N/A
Max. Resolution and Refresh Rate	<ul style="list-style-type: none">• HDMI:2560x1440@500Hz• DP:2560x1440@500Hz
Glare	No
Response Time	1ms / 0.5ms (GTG, Min.)
Tear Technology	AMD FreeSync™ Premium
Contrast Ratio	100,000,000:1 (ACM)
Brightness	250nits
Viewing Angle	178° (H), 178° (V)
Color gamut	sRGB99%
Color	1.07B
Bits	8Bit+FRC
Input Signal	2HDMI(2.1)+1DP(1.4)
VESA Wall Mounting	100x100 mm
Speaker	2Wx2
Power Supply	Internal (C13/C14)
Tilt / Height Adjustment / Swivel / Pivot	-5°~25° / 150mm / ±20° / ±90°

NITRO XV270 F5



Panel

System

acer

Model	XV270 F5
Display Size	27"
Panel type	IPS
Curvature	N/A
Max. Resolution and Refresh Rate	<ul style="list-style-type: none">• HDMI:1920x1080@520Hz• 1920x1080@520Hz
Glare	No
Response Time	1ms / 0.5ms (GTG, Min.)
Tear Technology	AMD FreeSync™ Premium
Contrast Ratio	100,000,000:1 (ACM)
Brightness	400nits
Viewing Angle	178° (H), 178° (V)
Color gamut	sRGB 99%
Color	16.7M
Bits	8Bit
Input Signal	2HDMI(2.1)+1DP(1.2)+USB-3.2*2+USB-B(1up 2down)+SPK+Audio out
VESA Wall Mounting	100x100 mm
Speaker	2Wx2
Power Supply	Internal (C13/C14)
Tilt / Height Adjustment / Swivel / Pivot	--5°~25° / 150mm / ±20° / ±90°°

NITRO XV240 F6



Panel

System

Model XV240 F6

Display Size 24.1"

Panel type TN

Curvature N/A

Max. Resolution and Refresh Rate

- HDMI:1920x1080@240Hz
- DP:1920x1080@600Hz

Glare No

Response Time 1ms / 0.1ms (GTG, Min.)

Tear Technology AMD FreeSync™ Premium

Contrast Ratio 100,000,000:1 (ACM)

Brightness 400nits

Viewing Angle 170°(H),160°(V)

Color gamut DCI-P3 95%

Color 16.7M

Bits 8Bit

Input Signal 2HDMI(2.0)+1DP(1.4)

VESA Wall Mounting 100x100 mm

Speaker 2Wx2

Power Supply Internal (C13/C14)

Tilt / Height Adjustment / Swivel / Pivot

-5°~25° / 150mm / ±20° / ±90°

acer

PREDATOR ORION 7000



Model	P07-660
Operating System	Windows 11 Home
Processors	Intel® Next Gen Processors
Graphic Card	Up to NVIDIA® GeForce RTX™ 4090 Desktop GPU (1321 AI TOPS)
Memory	Up to 128 GB [32GB*4] of Dual-channel DDR5 6000 MHz
Storage	Up to 6 TB, M.2 2280, PCI-e Gen5/Gen4 SSD
Connectivity	Wi-Fi 7
Thermal Solution	Predator CycloneX 360 + CPU Liquid Cooling
Design	<ul style="list-style-type: none">· CycloneX 360· Cable Cover· Hot Swap M.2 SSD
Dimension	219 (W) x 504.8 (D) x 485 (H) mm
Audio	DTS:X® Ultra

Specifications may vary depending on model and/or region. All models subject to availability.

PREDATOR XB273K V5



Panel

System

Model XB273K V5



Display Size 27"

Panel type IPS

Curvature N/A

Max. Resolution and Refresh Rate

- HDMI:3840x2160@160Hz
- DP:3840x2160@160Hz

Glare No

Response Time 1ms / 0.5ms (GTG, Min.)

Tear Technology AMD FreeSync™ Premium

Contrast Ratio 100,000,000:1 (ACM)

Brightness Native 400nits HDR400 mode: peak 400nits

Viewing Angle 178°(H),178°(V)

Color gamut DCI-P3 95%

Color 1.07B

Bits 8Bit+FRC(10bit with dithering)

Input Signal 2HDMI(2.1)+1DisplayPort(1.4)
+SPK+Audio out

VESA Wall Mounting 100x100 mm

Speaker 2Wx2

Power Supply Internal (C13/C14)

Tilt/Height Adjustment/Swivel/Pivot -5° to 25° / 150mm / ±20° / ±90°

PREDATOR XB273U F5



Panel

System

Model	XB273U F5
Display Size	27"
Panel type	IPS
Curvature	N/A
Max. Resolution and Refresh Rate	· HDMI:2560x1440@360Hz · DP:2560x1440@360Hz
Glare	No
Response Time	1ms / 0.5ms (GTG, Min.)
Tear Technology	NVIDIA G-SYNC®
Brightness	· Native 500nits · Peak 550nits (supports HDR)
Viewing Angle	178°(H),178°(V)
Color gamut	DCI-P3 90%
Color Bits	16.7M 8Bit
Input Signal	2HDMI(2.1)+1DP(1.4)+SPK
VESA Wall Mounting	100x100 mm
Speaker	5Wx2
Power Supply	Internal (C13/C14)
Tilt/Height Adjustment/Swivel/Pivot	-5°~25° / 150mm / ±20° / ±90°

acer



 PREDATOR