

**OVERVIEW**



1. Headphone / microphone combo jack (3.5mm)	6. HDMI
2. USB-A (USB 5Gbps)	7. USB-C (USB 10Gbps), with USB PD 65-100W & DP 2.1
3. USB-A (USB 5Gbps)	8. Thunderbolt 4
4. Ethernet (RJ-45)	9. USB-A (USB 10Gbps), Always On
5. Power connector	

## PERFORMANCE

### Processor

#### Processor Family

Intel® Core™ Ultra 7 / 9 Processor (Series 2)

#### Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics	NPU	Overall TOPS
Core Ultra 7 251HX	18 (6 P-core + 12 E-core)	18	P-core 2.9GHz / E-core 2.5GHz	P-core 5.1GHz / E-core 4.5GHz	30MB Intel® Smart Cache	Intel® Graphics, up to 6 TOPS	Intel® AI Boost, up to 13 TOPS	Up to 30 TOPS
Core Ultra 9 275HX	24 (8 P-core + 16 E-core)	24	P-core 2.7GHz / E-core 2.1GHz	P-core 5.4GHz / E-core 4.6GHz	36MB Intel® Smart Cache	Intel® Graphics, up to 8 TOPS	Intel® AI Boost, up to 13 TOPS	Up to 36 TOPS

### AI (Artificial Intelligence)

#### AI PC Category

AI-Powered Gaming PC<sup>[1]</sup>

#### NPU

Integrated Intel® AI Boost, up to 13 TOPS

Notes:

[1] AI-Powered Gaming PCs feature Lenovo® AI Engine+ and NVIDIA® GeForce RTX™ GPUs to handle AI-driven tasks and deliver exceptional gaming performance.

### Operating System

#### Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

### Graphics

#### Graphics

Graphics	Type	Memory	Boost Clock	TGP	AI TOPS (Peak)	Key Features
NVIDIA® GeForce RTX™ 5070 Ti Laptop GPU	Discrete	12GB GDDR7	2220 MHz	140W	992 TOPS	DLSS 4, DirectX® 12 Ultimate

### Monitor Support

#### Monitor Support<sup>[1]</sup>

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)

- HDMI® supports up to 8K@60Hz
- USB-C® supports up to 8K@60Hz

Notes:

[1] For Max resolution, DSC-enabled display is required. 8K resolution support needs 2 display pipes. That is, simultaneous display number will “-1” when 8K resolution displayed.

### Chipset

#### Chipset

Intel® HM870 chipset

### Memory

**Max Memory<sup>[1]</sup>**

- Up to 32GB DDR5-5600 offering
- Up to 32GB DDR5-6400 offering

**Memory Slots\*\***

- Two DDR5 SODIMM slots, dual-channel capable
- Two DDR5 CSODIMM slots, dual-channel capable

**Memory Type\*\***

- DDR5-5600
- DDR5-6400

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

**Storage**

**Max Storage Support<sup>[1]</sup>**

Up to two drives, 2x M.2 SSD

- M.2 2242 SSD up to 1TB
- M.2 2280 SSD up to 1TB

**Storage Slot<sup>[2]</sup>**

Two M.2 2280 PCIe® 4.0 x4 slots

**Storage Type\*\***

Disk Type	Interface	Offering
M.2 2242 SSD	PCIe® NVMe®, PCIe® 4.0 x4	1TB
M.2 2280 SSD	PCIe® NVMe®, PCIe® 4.0 x4	1TB

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

[2] The actual data transfer rate of the following PCIe® interface also depends on the capabilities of the connected PCIe® device. The listed values represent theoretical maximums.

PCIe® 3.0 (x2 / x4): 2 GB/s (16 Gbps) / 4 GB/s (32 Gbps);  
 PCIe® 4.0 (x2 / x4): 4 GB/s (32 Gbps) / 8 GB/s (64 Gbps);  
 PCIe® 5.0 (x2 / x4): 8 GB/s (64 Gbps) / 16 GB/s (128 Gbps).

**Removable Storage**

**Optical**

None

**Card Reader**

No card reader

**Multi-Media**

**Audio Chip**

High Definition (HD) Audio, Realtek® ALC3306 codec

**Speakers**

Stereo speakers, 2W x2, audio by HARMAN, optimized with Nahimic Audio

**Microphone**

Dual-microphone array

**Camera**

5.0MP, with E-shutter, fixed focus

**Battery**

**Battery**

80Wh Rechargeable Li-ion Battery, supports Super Rapid Charge (10min charge 0-30% capacity, 30min charge 0-70% capacity, 80min charge 0-100% capacity)

**Max Battery Life<sup>[1]</sup>**

MobileMark® 30@250nits: 3.6 hr  
Local video (1080p) playback@150nits: 8.4 hr

Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018, MobileMark® 25, MobileMark® 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## Power Adapter

### Power Adapter

- 300W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz
- No power adapter

## Special Features

### Special Features

AI Chip: LA3

## DESIGN

## Display

### Display\*\*

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
16"	WQXGA (2560x1600)	Non-touch	OLED	1100nits (HDR peak) / 500nits (SDR typical)	Glossy	16:10	1,000,000:1	100% DCI-P3	240Hz	89° / 89° / 89° / 89°	DisplayHDR™ True Black 1000, Dolby Vision®, NVIDIA® G-SYNC®, Advanced Optimus support, TÜV Low Blue Light, TÜV High Gaming Performance, TÜV Rheinland® Flicker Free
16"	WQXGA (2560x1600)	Non-touch	OLED	1100nits (HDR peak) / 500nits (SDR typical)	Glossy	16:10	1,000,000:1	100% DCI-P3	165Hz	89° / 89° / 89° / 89°	DisplayHDR™ True Black 1000, Dolby Vision®, NVIDIA® G-SYNC®, Advanced Optimus support, TÜV Low Blue Light, TÜV High Gaming Performance, TÜV Rheinland® Flicker Free

### Touchscreen

Non-touch

### Screen-to-Body Ratio

91.7% AAR (active area ratio)

### Color Calibration

X-Rite® factory color calibration

## Input Device

### Pen

No support

### Keyboard

6-row, multimedia Fn keys, numeric keypad, key travel 1.6mm, cap recess 0.3mm, Copilot key

### Keyboard Backlight\*\*

- 24-Zone RGB backlight
- White backlight

### Touchpad

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

## Mechanical

### Dimensions (WxDxH)<sup>[1]</sup>

364.38 x 268.06 x 21.69-25.95 mm (14.35 x 10.55 x 0.85-1.02 inches)

### Weight<sup>[2]</sup>

Around 2.42 kg (5.34 lbs)

### Case Color

Eclipse black

### Case Material

Aluminium (top), PC-ABS (bottom)

### Surface Treatment

Anodizing sandblasting

### System Lighting

No system lighting

---

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Network

#### WLAN + Bluetooth®\*\*<sup>[1]</sup>

- Wi-Fi® 6, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.2, M.2 card
- Wi-Fi® 7, 802.11be 2x2 Wi-Fi® + Bluetooth® 5.4, M.2 card

#### WWAN

No support

#### Ethernet<sup>[2]</sup>

Gigabit Ethernet, 1x RJ-45, supports Wake-on-LAN

---

Notes:

[1] Wi-Fi® operation (including Wi-Fi® 6, Wi-Fi® 6E, Wi-Fi® 7, etc.) is subject to the regulatory requirements of each country. Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

[2] Wake-on-LAN needs the AC adapter plugged in and the system in S3 mode (sleep mode). Since Wake-on-LAN is enabled by default, there are no options displayed in the BIOS.

### Ports<sup>[1]</sup>

#### Standard Ports

- 2x USB-A (USB 5Gbps / USB 3.2 Gen 1)

- 1x USB-A (USB 10Gbps / USB 3.2 Gen 2), Always On
- 1x USB-C® (USB 10Gbps / USB 3.2 Gen 2), with USB PD 65-100W and DisplayPort™ 2.1<sup>[2]</sup>
- 1x USB-C® (Thunderbolt™ 4 / USB4® 40Gbps), with DisplayPort™ 2.1
- 1x HDMI® 2.1, up to 8K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Ethernet (RJ-45)
- 1x Slim tip Power connector

#### Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

[2] Supports Lenovo® protocol for 140W charging but requires a unique Lenovo® adapter for operation.

## Docking

### Docking

Various docking solutions supported via Thunderbolt™ or USB-C®.

For more compatible docking solutions, please visit [Docking for Legion Pro 5 16IAX10H](#)

## SECURITY & PRIVACY

### Security

#### Security Chip

Firmware TPM 2.0 integrated in chipset

#### Fingerprint Reader

No fingerprint reader

#### BIOS Security

- Hard disk password
- Master hard disk password
- Power-on password
- Supervisor password
- User hard disk password
- User password
- Self-healing BIOS
- More BIOS security features, please visit [BIOS Simulator](#)

#### Other Security

E-shutter

## SERVICE

### Warranty

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

## ACCESSORIES

### Bundled Accessories

#### Bundled Accessories\*\*\*<sup>[1]</sup>

- 4 switchable keycaps
- Anti-Reflection screen protector
- Lenovo® Legion™ M300s RGB Gaming Mouse + Lenovo® Legion™ Gaming Speed Mouse Pad M
- Lenovo® Legion™ Gaming Speed Mouse Pad M
- None

Notes:

[1] For more compatible accessory solutions, please visit [Accessories for Legion Pro 5 16IAX10H](#).

## OPERATING REQUIREMENTS

### Operating Environment

#### Temperature<sup>[1]</sup>

At altitudes up to 2438 m (8,000 ft)  
- Operating: 5°C to 35°C (41°F to 95°F)  
- Storage: 5°C to 43°C (41°F to 109°F)

#### Relative Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

## CERTIFICATIONS

### Green Certifications<sup>[1]</sup>

#### Green Certifications

- ENERGY STAR® 8.0<sup>[2]</sup>
- ErP Lot 6/26
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <https://compliance.lenovo.com>.

[2] ENERGY STAR® certification is optional and only available on the models with preloaded OS. Please visit [energystar.gov](http://energystar.gov) for more information.

### Other Certifications

#### Other Certifications

- Pantone® SkinTone™ Validated
- Pantone® Validated
- TÜV Rheinland® Flicker Free
- TÜV Rheinland® High Gaming Performance
- TÜV Rheinland® Low Blue Light (Hardware Solution)

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with \*\*\* means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS", WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

