MONITORY Z SERII BUSINESS PRODUCTIVITY

PRO MAX 271QPHW E14

PRO MAX 271QPHW E14


Be Your Window To The World



Picture and logos

SELLING POINTS

- Technologia EyesErgo+ na nowo definiuje komfort widzenia.
- Certyfikowana przez TÜV technologia polaryzacji kołowej naśladuje naturalne światło, zmniejszając zmęczenie oczu.
- Technologia Less Blue Light PRO jednocześnie chroni oczy oraz zachowuje żywe kolory i bogactwo detali.
- Funkcja MSI Eye-Q Check pomaga w samodzielnej kontroli kondycji wzroku i przypomina o konieczności odpoczynku podczas długotrwałego korzystania z monitora.
- Złącze Type-C z funkcją Power Delivery 65 W, transmisją sygnału DispalyPort oraz przełącznika KVM.
- Funkcja KVM pozwala na przełączanie się między wieloma urządzeniami i sterowanie nimi za pomocą jednego zestawu klawiatury i myszy.
- Częstotliwość odświeżania 144 Hz zapewnia lepsze wrażenia wizualne dzięki obrazowi wolnemu od migotania.
- Fabryczna kalibracja z wysoką dokładność odwzorowania kolorów ze współczynnikiem błędu Delta-E ≤ 2 gwarantuje najwyższą precyzję odzwierciedlenia barw.
- Ergonomiczna podstawa umożliwia regulację nachylenia, obrotu w poziomie oraz wysokości.
- Dwa wbudowane głośniki.



1. 5-Way Navi-Key
2. 1x Headphone-out
3. 2x HDMI™ 2.0b (FHD@144Hz)
4. 1x DisplayPort 1.2a
5. 1x Type-C (DP alt.) w/ 65W PD
6. 1x USB 5Gbps Type-B
7. 2x USB 5Gbps Type-A
8. AC-in
9. Kensington-Lock

"2026-10-22 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

MONITORY Z SERII BUSINESS PRODUCTIVITY

PRO MAX 271QPHW E14

PRO MAX 271QPHW E14

SPECIFICATION

Model	Entity MKT Name	PRO MAX 271QPHW E14
	Part No	9S6-3PF54H-008
	Color	ID1/White-White
Display	Screen Size	27" (68.58 cm)
	Active Display Area (mm)	597.736(H) x 335.664(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	2560x1440 (WQHD)
	Pixel pitch (mm)	0.2331(H)x0.2331(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync
	Dynamic Refresh Rate Activated Range	48~144Hz
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	300
	Contrast Ratio	1500:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	72~216 KHz(H) / 48~144 Hz(V)
	Refresh Rate	144HZ
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	106%/83%
	NTSC (CIE1931 area percentage/overlap)	84%/76%
	sRGB (CIE1976 area percentage/overlap)	121%/99%
	sRGB (CIE1931 area percentage/overlap)	118%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	104%/87%
	Adobe RGB (CIE1931 area percentage/overlap)	88%/77%
	DCI-P3 (CIE1976 area percentage/overlap)	97%/93%
	DCI-P3 (CIE1931 area percentage/overlap)	87%/86%
	Rec.709 (CIE1976 area percentage/overlap)	121%/99%
	Rec.709 (CIE1931 area percentage/overlap)	118%/99%
	Rec.2020 (CIE1976 area percentage/overlap)	70%/70%
	Rec.2020 (CIE1931 area percentage/overlap)	62%/62%
	Surface Treatment	Anti-glare with Circular Polarization
	Display Colors	16.7M
	Color bit	8 bits (6 bits + FRC)
I/O Ports	USB Type C (DisplayPort Alternate)	1
	Headphone-out	1
	USB 3.2 Gen 1 Type A	2
	USB 3.2 Gen 1 Type B	1
	Lock type	Kensington Lock
	Speaker	3Wx 2
	HDMI	2
	HDMI version	2.0b
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.3
Warranty	Warranty	36M
Power	Power Type	Internal Power Board
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	17
	Annual Energy Consumption (KWh)	17
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	D
	Power Cord Type	C13

"2026-10-22 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products."

PRO MAX 271QPHW E14

PRO MAX 271QPHW E14

Accessories	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	1
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	1
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	0
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
Design	Adjustment (Tilt)	-5° ~ 20°
	Adjustment (Swivel)	-30° ~ 30°
	Adjustment (Height)	0 ~ 110 mm
	Adjustment (Pivot)	-90° ~ 90°
	VESA Mounting	75x75mm
Dimension & Weight (product)	Product Dimension with Stand (WxDxH) (mm)	613.49 x 200.81 x 410.72
	Product Dimension without Stand (WxDxH) (mm)	613.49 x 63.82 x 362.45
	Stand Dimension (WxDxH) (mm)	230.81 x 200.81 x 415.72
	Weight (Net kg)	6.4
	Weight Without Stand (kg)	4.4
Dimension & Weight (box)	Inside Carton Dimension (WxDxH) (cm)	89.2 x 14.2 x 46
	Outer Carton Dimension (WxDxH) (cm)	90.7 x 15.5 x 48.4
	Weight (Gross kg)	10.1
Barcode Info	EAN	4711377396325

“2026-10-22 Changes to the product specifications and errors excepted. The product presentation may differ from the product. Microsoft, Windows, the Windows logo, and DirectX are trademarks or registered trademarks of Microsoft Corporation in the United States and / or other countries. Intel, the Intel logo, Intel Inside, the Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other trademarks and trade names refer to the respective owners or their products.”