



# HP Smart Tank 581 All-in-One Printer (4A8D4A)

## Overview



Enjoy everyday reliability with the HP quality you expect and savings that are anything but expected[1]

Enjoy everyday reliability with the HP Smart Tank 581 All-in-One Printer that delivers HP quality you expect and savings that are anything but expected [1]

### Smart tank value

Up to 6,000 pages of black or colour ink keeps you printing at a fraction of the cost[2,1]

### Conveniently intuitive

Easy mobile-guided setup [5]

### Ready when you are

Stay connected and keep printing with self-healing Wi-Fi [4]

## Features

Mobile-guided, seamless setup<sup>5</sup>

Smart buttons

Low-on-ink sensors

Self-healing Wi-Fi<sup>4</sup>

HP Smart Advance<sup>5</sup>

HP Auto On/Auto-Off technology<sup>3</sup>

---

*[1] HP ink bottles compared to HP ink cartridges. Cost per page based on expected black and composite (cyan/magenta/yellow) page yield results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see [hp.com/go/learnaboutsupplies](http://hp.com/go/learnaboutsupplies)*

*[2] Based upon 200 pages per month of HP Smart Tank customers' usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some ink from included bottles is used to start up the printer. For details, see: [www.hp.com/go/learnaboutsupplies](http://www.hp.com/go/learnaboutsupplies)*

*[4] Wireless operations are compatible with 2.4 GHz operations only. Learn more at [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting). Wi-Fi is a registered trademark of Wi-Fi Alliance®.*

*[5] Requires the HP Smart app download. For details on local printing requirements see [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting). Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. For details, see: [www.HPSmart.com](http://www.HPSmart.com). Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores. Fax capabilities are for sending a fax only.*

## Specifications

<b>Print quality black (best)</b>	Up to 1200 x 1200 rendered dpi
<b>Print quality color (best)</b>	Up to 4800 x 1200 optimized dpi color (when printing from a computer and 1200 input dpi)
<b>Print speed black (ISO, A4)</b>	Up to 12 ppm
<b>Print Speed Color (ISO)</b>	Up to 5 ppm
<b>Print speed</b>	Print speed up to 12 ppm (black) and 5 ppm (color)
<b>Bottom margin (A4)</b>	3 mm
<b>Left margin (A4)</b>	3 mm
<b>Right margin (A4)</b>	3 mm
<b>Top margin (A4)</b>	3 mm
<b>Functions</b>	Print, copy, scan
<b>Duplex printing</b>	Manual (driver support provided)
<b>Duty cycle (monthly, A4)</b>	Up to 3,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 3,000 pages
<b>Energy savings feature technology</b>	HP Auto-Off Technology
<b>Replacement cartridges</b>	North America: HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle MOH55AA; HP GT52 Yellow Original Ink Bottle MOH56AA; Europe Middle East and Africa: HP GT53XL 135-ml Black Original Ink Bottle 1VV21AE; HP GT52 Cyan Original Ink Bottle MOH54AE; HP GT52 Magenta Original Ink Bottle MOH55AE; HP GT52 Yellow Original Ink Bottle MOH56AE; Asia Pacific: HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle MOH55AA; HP GT52 Yellow Original Ink Bottle MOH56AA; Latin America: HP GT53 90-ml Black Original Ink Bottle 1VV22AL; HP GT52 Cyan Original Ink Bottle MOH54AL; HP GT52 Magenta Original Ink Bottle MOH55AL; HP GT52 Yellow Original Ink Bottle MOH56AL; HP GT52 3-pack Cyan/Magenta/Yellow Original Ink Bottles X4E44AL. For more information about fill and yield, see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .
<b>Connectivity, standard</b>	1 Hi-Speed USB 2.0 (device); 1 Wi-Fi 802.11b/g/n; 1 Wi-Fi Direct
<b>Network capabilities</b>	Yes (via WiFi)
<b>Wireless capability</b>	Yes, built-in Wi-Fi 2.4G, Wi-Fi Direct
<b>Mobile printing capability</b>	HP Smart app; Apple AirPrint; Mopria Print Service; HP Print Service Plugin (Android printing); Wi-Fi Direct Printing
<b>Software included</b>	HP Printer Software

<b>Compatible Operating Systems</b>	Windows 11; Windows 10; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma <i>(Microsoft Windows 11, 10; macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; macOS v13 Ventura; macOS v14 Sonoma; Android; iOS)</i>
<b>Sustainable impact specifications</b>	45% post-consumer recycled plastic; EPEAT® registered
<b>Energy star certified</b>	No
<b>Ecolabels</b>	Conforms to ecolabel energy efficiency limits
<b>Digital sending standard features</b>	Scan to file (from software); HP Smart Tasks
<b>Scan speed (normal, A4)</b>	Up to 200 ipm
<b>Scan file format</b>	JPG; PDF; PNG; TIFF; HEIF
<b>Scan input modes</b>	Copy; HP Software; EWS
<b>Scan technology</b>	Contact Image Sensor (CIS)
<b>Scanner type</b>	Flatbed only
<b>Display</b>	33 segments + 1.2-inch iCON LCD Display
<b>Dimensions (W x D x H)</b>	434.66 x 361.53 x 157.26 mm
<b>Dimensions (W x D x H)</b>	17.11 x 14.23 x 6.19 in
<b>Weight</b>	5.03 kg
<b>Weight</b>	11.09 lb
<b>Power consumption</b>	0.109 watts (manual-Off), 3.023 watts (ready), 1.096 watt (sleep) <sup>[2]</sup>
<b>Power supply type</b>	Internal built in
<b>What's in the box</b>	HP Smart Tank 581 All-in-One Printer; HP GT53XL 135-ml Black Original Ink Bottle (1VV24A); HP GT52 50-ml Cyan Original Ink Bottle (6ZE03A); HP GT52 50-ml Magenta Original Ink Bottle (6ZE04A); HP GT52 50-ml Yellow Original Ink Bottle (6ZE05A); HP Black Original Printhead (M0H50A); HP Tri-Color Original Printhead (6ZA18AE); Setup Guide; Reference Guide; Ink Caution flyer; Regulatory flyer; Warranty flyer; Power Cord; For more information about fill and yield, see <a href="https://www.hp.com/go/learnaboutsupplies">https://www.hp.com/go/learnaboutsupplies</a>
<b>Manufacturer Warranty</b>	One-year or 30,000 pages limited hardware warranty, whichever is earlier from the date of purchase. User replaceable parts have separate warranty periods.

## Additional specifications

<b>Accessories</b>	None
<b>Acoustic power emissions (active, printing)</b>	6.4 B(A)
<b>Acoustic pressure emissions</b>	56.8 dBA
<b>Additional information about HP</b>	<a href="https://www.hp.com">https://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="https://www.hp.com/uk">https://www.hp.com/uk</a>
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24-bit
<b>Borderless printing</b>	Yes (up to 8.5 x 11 in, 210 x 297 mm)
<b>Cable included</b>	No, please purchase USB cable separately.
<b>Cartons per layer</b>	12
<b>Color copy capability</b>	Yes
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes
<b>Connection type</b>	Wireless
<b>Control panel</b>	Power On/Off, Cancel, Resume, Color Copy, Black copy, ID copy, WI-FI and Info button
<b>Copier settings</b>	Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement
<b>Copies, maximum</b>	Up to 99 copies
<b>Copy reduce / enlarge settings</b>	Via HP Smart app
<b>Copy resolution (black graphics)</b>	Up to 600 dpi
<b>Copy resolution (black text)</b>	Up to 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed black (ISO)</b>	Up to 10 cpm
<b>Copy speed color (ISO)</b>	Up to 2 cpm
<b>Count of layers in pallet</b>	5
<b>Country of origin</b>	Made in China
<b>Datasheet photo 1</b>	\Publication photos/LEBI_WL_581 wyh.jpg
<b>Datasheet photo 4</b>	Publication logos/Easy_setup wyh.jpg
<b>Datasheet photo 5</b>	Publication logos/Auto_on-off wyh.jpg
<b>Dimensions with trays up (W x D x H)</b>	434.66 x 361.53 x 157.26 mm

**Duty cycle note**

Duty cycle is the maximum number of pages that can be printed in a month, but this page volume is not recommended on an ongoing basis.

<b>Electromagnetic compatibility</b>	EN 55032:2015+A11:2020 Class B; EN 55024:2010 +A1:2015; EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4
<b>Enhanced scanning resolution</b>	Up to 1200 dpi
<b>Envelope Feeder</b>	No
<b>File Format Supported</b>	JPG; PDF
<b>Finished output handling</b>	Sheetfed
<b>First page out black (A4, ready)</b>	As fast as 14 sec
<b>First page out color (A4, ready)</b>	As fast as 21 sec
<b>First page out footnote</b>	For details see: <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a>
<b>Fonts and typefaces</b>	None
<b>Geographic availability</b>	EM
<b>Image scaling or enlargement range</b>	25 to 150%
<b>Ink types</b>	Pigment-based (black); Dye-based (color)
<b>Input capacity</b>	Up to 100 sheets
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	64MB
<b>Maximum dimensions (W x D x H)</b>	434.66 x 580.65 x 259.37 mm
<b>Maximum dimensions (W x D x H)</b>	17.11 x 22.86 x 10.21 in
<b>Maximum input capacity (10x15cm photos)</b>	Up to 30 sheets
<b>Maximum input capacity (4x6 photo)</b>	Up to 30 sheets
<b>Maximum input capacity (cards)</b>	Up to 30 cards
<b>Maximum input capacity (labels)</b>	Up to 10 sheets
<b>Maximum input capacity (photo paper)</b>	Up to 30 sheets
<b>Maximum input capacity (sheets)</b>	Up to 100 sheets
<b>Maximum output capacity (cards)</b>	Up to 30 cards
<b>Maximum output capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum output capacity (labels)</b>	Up to 30 sheets
<b>Maximum output capacity (photo paper)</b>	Up to 30 sheets

<b>Maximum output capacity (sheets)</b>	Up to 30 sheets
<b>Maximum print area</b>	216 x 355 mm
<b>Media sizes supported</b>	A4; B5; A6; DL envelope, legal
<b>Media sizes supported</b>	Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes, custom</b>	88.9 x 127 to 215.9 x 355.6 mm
<b>Media sizes, custom</b>	3.5 x 5 in to 8.5 x 14 in
<b>Media types</b>	Plain paper, Matte Brochure Papers, Glossy Brochure Papers, Photo papers and Envelopes
<b>Media weight, recommended</b>	20 lb
<b>Media weight, recommended</b>	75 g/m <sup>2</sup>
<b>Media weight, supported</b>	Plain paper: 16 to 24 lb; Envelopes: 20 to 24 lb; Cards: up to 110 lb; Photo paper: up to 80 lb
<b>Media weight, supported</b>	Plain paper: 60 to 90 g/m <sup>2</sup> ; Envelopes: 75 to 90 g/m <sup>2</sup> ; Cards: up to 200 g/m <sup>2</sup> ; Photo paper: up to 300 g/m <sup>2</sup>
<b>Memory</b>	64 MB Integrated DDR1
<b>Memory Slots</b>	No
<b>Minimum System Requirements</b>	Microsoft® Windows® 11, 10; Internet connection, Microsoft® Internet Explorer or Edge.
<b>Minimum System Requirements for Macintosh</b>	Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required
<b>Model number</b>	581
<b>Non-Operating Humidity Range</b>	5 to 90% RH (non-condensing)
<b>Number of users</b>	1-3 Users
<b>Operating humidity range</b>	15 to 80% RH (non-condensing)
<b>Operating temperature range</b>	5 to 40°C
<b>Operating temperature range</b>	41 to 104°F
<b>Orderable supplies</b>	North America: HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle MOH55AA; HP GT52 Yellow Original Ink Bottle MOH56AA; Europe Middle East and Africa: HP GT53XL 135-ml Black Original Ink Bottle 1VV21AE; HP GT52 Cyan Original Ink Bottle MOH54AE; HP GT52 Magenta Original Ink Bottle MOH55AE; HP GT52 Yellow Original Ink Bottle MOH56AE; Asia Pacific: HP GT53 90-ml Black Original Ink Bottle 1VV22AA; HP GT53XL 135-ml Black Original Ink Bottle 1VV21AA; HP GT52 Cyan Original Ink Bottle MOH54AA; HP GT52 Magenta Original Ink Bottle MOH55AA; HP GT52 Yellow Original Ink Bottle MOH56AA; Latin America: HP GT53 90-ml Black Original Ink Bottle 1VV22AL; HP GT52 Cyan Original Ink Bottle MOH54AL; HP GT52 Magenta Original Ink Bottle MOH55AL; HP GT52 Yellow Original Ink Bottle MOH56AL; HP GT52 3-pack Cyan/Magenta/Yellow Original Ink Bottles X4E44AL. For more information about fill and yield, see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> .

<b>Output capacity</b>	Up to 30 sheets
<b>Output file format</b>	JPEG
<b>Package dimensions (W x D x H)</b>	495 x 198 x 478 mm
<b>Package dimensions (W x D x H)</b>	19.49 x 7.8 x 18.82 in
<b>Package weight</b>	15.89 lb to 16.73 lb depending on number of bottle/s included
<b>Package weight</b>	7.2 kg to 7.6 kg depending on number of bottle/s included
<b>Page yield (set-up/inbox cartridges)</b>	~6000 pages black, ~8,000 pages cyan, magenta, yellow composite yield
<b>Pallet dimensions</b>	47.99 x 40 x 94.09 in
<b>Pallet dimensions (W x D x H)</b>	1200 x 1000 x 2390 mm
<b>Pallet weight</b>	432 kg to 455 kg depending on number of bottle/s included
<b>Pallet weight</b>	950 lb to 1002 lb depending on number of bottle/s included
<b>Paper handling input, standard</b>	100-sheet input tray
<b>Paper handling output, standard</b>	30-sheet output tray
<b>Paper trays, maximum</b>	1
<b>Paper trays, standard</b>	1
<b>Photo (product photo, jpg, 70x100)</b>	Printers and Multifunction/CD028B_70x100.jpg
<b>Photo proofsheets supported</b>	No
<b>PictBridge description</b>	No
<b>PictBridge supported</b>	No
<b>Plug and play</b>	Auto Wireless Connect
<b>Power</b>	Input voltage 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). High voltage: Input voltage 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3Hz)
<b>Print Cartridge/Bottle, Color(s)</b>	Black; Cyan; Magenta; Yellow
<b>Print Cartridges/Bottle, Number</b>	4 (1 each black bottle, set of 3 color bottles)
<b>Print Speed (Draft, A4 Memo) Footnote Number</b>	[7]
<b>Print Speed Black (Draft, A4 Memo)</b>	Up to 30 ppm
<b>Print Speed Color (Draft, A4 Memo)</b>	Up to 24 ppm
<b>Print Technology</b>	Ink
<b>Print colors</b>	Yes
<b>Print colors maximum</b>	4
<b>Print head nozzles</b>	704 (Black), 588 (Tri-color)
<b>Print heads</b>	2 (1 each black, tri-color)
<b>Print languages</b>	HP PCL 3 GUI; HP PCLm (HP Apps/UPD); URF (AirPrint)



<b>Print speed black (ISO)</b>	Up to 12 ppm
<b>Print speed black (draft, A4)</b>	Up to 22 ppm
<b>Print speed color (ISO)</b>	Up to 5 ppm
<b>Print speed color (draft, A4)</b>	Up to 16 ppm
<b>Print speed color (normal, 10x15 photo)</b>	As fast as 76 sec
<b>Print speed color (normal, 4x6 photo)</b>	As fast as 76 sec
<b>Print technology</b>	HP Thermal Inkjet
<b>Printer Management</b>	No
<b>Printer drivers included</b>	HP PCL 3 GUI
<b>Processor speed</b>	980 MHz
<b>Product color</b>	Medium Basalt Body, Light Basalt Accent
<b>Product logos</b>	Air Print; Android; Windows; USB high speed; WiFi certified; Mopria; PAP 20; SmartWay; Fragile; Keep out of Rain; This side up; EPEAT Silver; EnergyStar
<b>Product long name specifications</b>	HP Smart Tank 581 All-in-One Printer, Color Printer for Home and home office, Print, copy, scan, Wireless; High-volume printer tank; Print from phone or tablet; Scan to PDF
<b>Product name (back)</b>	Smart Tank 581 Wireless All-in-One
<b>Product name (front)</b>	Smart Tank 581 Wireless All-in-One
<b>Product name (primary)</b>	Smart Tank 581 Wireless All-in-One
<b>Product name (secondary)</b>	Smart Tank 581 Wireless All-in-One
<b>Product safety</b>	<a href="https://support.hp.com/gb-en/product/setup-user-guides/hp-smart-tank-580-all-in-one-printer/model/2101277335?sku=4A8D4A&amp;serialnumber=4A8D4A">https://support.hp.com/gb-en/product/setup-user-guides/hp-smart-tank-580-all-in-one-printer/model/2101277335?sku=4A8D4A&amp;serialnumber=4A8D4A</a>
<b>Product short name specifications</b>	HP Smart Tank 581 Wireless All-in-One Color Printer, Copier, Scanner
<b>Quantity per pallet</b>	60
<b>Recommended Macintosh system requirements</b>	Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required
<b>Recommended monthly page volume</b>	400 to 800
<b>Recommended monthly page volume note</b>	HP recommends the number of pages printed not exceed the recommended monthly page volume for optimum device performance.
<b>Recommended operating humidity range</b>	20 to 80% RH
<b>Recommended operating temperature range</b>	15 to 30°C
<b>Recommended operating temperature range</b>	59 to 86°F

**Replacement cartridges footnote**

Black and composite color average per bottle (cyan/magenta/yellow) results based on HP methodology from the simulation of continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle is required to print 8,000 color test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies>.

<b>Safety</b>	IEC 60950-1 & IEC62368-1 compliant; EU RED and EN 60950-1 & EN 62368-1 compliant; Singapore Safety; China CCC; Taiwan BSMI
<b>Scan resolution, hardware</b>	Up to 1200 x 1200 dpi
<b>Scan resolution, optical</b>	Up to 1200 dpi
<b>Scan size, maximum</b>	216 x 297 mm
<b>Scan size, maximum</b>	8.5 x 11.69 in
<b>Scanning options (ADF)</b>	Not Applicable
<b>Security management</b>	No
<b>Segment (filter)</b>	Home and home office
<b>Send to email capability</b>	No
<b>Service &amp; support options</b>	Protect your investment—HP Total Care offers a variety of extended warranties and services, go to <a href="http://www.hp.com/support">http://www.hp.com/support</a>
<b>Standard input capacity (cards)</b>	Up to 30 cards
<b>Standard input capacity (envelopes)</b>	Up to 10
<b>Standard input capacity (legal)</b>	Up to 100 sheets
<b>Standard media sizes (duplex)</b>	A4; B5
<b>Standard media sizes (duplex, imperial)</b>	Letter; Executive
<b>Standard output capacity (cards)</b>	Up to 30 cards
<b>Standard output capacity (envelopes)</b>	Up to 10 envelopes
<b>Standard output capacity (labels)</b>	Up to 10 sheets
<b>Standard output capacity (legal)</b>	Up to 30 sheets
<b>Storage altitude</b>	15,000 ft
<b>Storage altitude</b>	4572 m
<b>Storage device and direct print support</b>	Wireless Direct Printing
<b>Storage temperature range</b>	-40 to 60°C
<b>Storage temperature range</b>	-40 to 140°F
<b>Sub-brand name</b>	Smart Tank
<b>System requirements, recommended</b>	Microsoft® Windows® 11, 10; Internet connection, Microsoft® Internet Explorer or Edge.

<b>Target user and print volume</b>	For teams up to 3 users; Prints up to 800 pages/month
<b>Technology logo 2</b>	Publication logos/logo_android.jpg
<b>Technology logo 3</b>	Publication logos/Epeat silver.jpg
<b>Technology logo 4</b>	Publication logos/IF_DesignAward_2023_logo.jpg
<b>Technology logo 5</b>	Publication logos/Red Dot 2023_logo.jpg
<b>Technology logo 6</b>	AHID/38dec1d59a27468459a4292596927607e6c055b3
<b>Technology logo 7</b>	AHID/619a3448a77fd810ffc2ecd1be2266a1ade2bab4
<b>Telecom compliance (fax capability)</b>	EN 300 328 V2.2.2; EN 301 893 V2.1.1; EN 300 440 V2.1.1
<b>Top key features</b>	Wireless; High-volume printer tank; Print from phone or tablet; Scan to PDF
<b>Twain version</b>	Version 2.4
<b>UNSPSC code</b>	43212104
<b>UPC number</b>	(671) 196548866960; (730) 198701840824; (BEW) 196548867004; (BHG) 196548867011
<b>Vertical alignment accuracy</b>	+/- 0.02 mm
<b>Vertical alignment accuracy</b>	+/- 0.0008 in
<b>Video action printing supported</b>	No
<b>Wireless technologies</b>	802.11b/g/n

---

*[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.*

---

# Services

## HP Care Pack Services

★ : Recommended

### Imaging and Printing Consumer Care Pack Services

HP 3 year Return to Depot Service for MFP Page Limit	UA5C2E
--	--------

# Ink/Toner/Paper/Printer Supplies

## Ink Supplies

★ : Recommended

### HP Inkjet Printer Cartridges and Ink Supplies

HP 6ZA17AE Black Printhead	6ZA17AE
HP 6ZA18AE Tri-color Printhead	6ZA18AE

### HP Ink Bottles

HP GT52 Cyan Original Ink Bottle	M0H54AE
HP GT52 Magenta Original Ink Bottle	M0H55AE
HP GT52 Yellow Original Ink Bottle	M0H56AE
HP GT53XL 135-ml Black Original Ink Bottle	1VV21AE

## HP Photo Papers

### HP Photo Papers for inkjet

HP Matte Photo Paper, 180 g/m2, 10 x 15 cm (101 x 152 mm), 25 sheets	7HF70A
--	--------

---

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ae-en) – Mar 24, 2025 1:55 PM UTC+0000